

Витрины холодильные для кондитерских изделий и деликатесов COLUMBIA

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47

эл.почта: usi@nt-rt.ru || сайт: <https://unis.nt-rt.ru/>

Columbia 900 Small Curved

The Columbia SMALL wall-mounted refrigerated display case is designed as a fully open device for “quick/impulse” purchases of beverages, baguettes, dairy products, fruit/vegetable salads and other snacks.

- Built-in aggregate with el. control unit (protective cover against unwanted settings)
- Side insulating glass – choice of 3 shapes (easy to replace and change the design directly on site)
- Fully open front)
- 3 adjustable stainless steel shelves including price tag strips / possibility to tilt the shelves
- Top LED lighting
- Wheels for easy handling

Specifications:

- Ventilation cooling
- Electronic control unit with temperature display
- Operating temperatures +2 / +6°C (at an ambient temperature of +25°C / 60% RH)
- Automatic defrosting and evaporation
- Refrigerant R455/R290



- Voltage 230 V / 50 Hz

COLUMBIA 900	
Side glass	curved, slanted, square
Dimensions (mm)	900 x 660 (*760) x 1350
Display area (m ²)	1,0
Power (W)	840
Weight (kg)	153

** Dimension including compulsory distance from wall*

Color design

BLACK

WHITE

Columbia 900 Small Square

The Columbia SMALL wall-mounted refrigerated display case is designed as a fully open device for “quick/impulse” purchases of beverages, baguettes, dairy products, fruit/vegetable salads and other snacks.

- Built-in aggregate with el. control unit (protective cover against unwanted settings)
- Side insulating glass – choice of 3 shapes (easy to replace and change the design directly on site)
- Fully open front)
- 3 adjustable stainless steel shelves including price tag strips / possibility to tilt the shelves
- Top LED lighting
- Wheels for easy handling

Specifications:

- Ventilation cooling
- Electronic control unit with temperature display
- Operating temperatures +2 / +6°C (at an ambient temperature of +25°C / 60% RH)
- Automatic defrosting and evaporation
- Refrigerant R455/R290



- Voltage 230 V / 50 Hz



COLUMBIA 900

Side glass	curved, slanted, square
Dimensions (mm)	900 x 660 (*760) x 1350
Display area (m ²)	1,0
Power (W)	840
Weight (kg)	153

** Dimension including compulsory distance from wall*

Color design



BLACK

WHITE

Columbia 900 Small Straight

The Columbia SMALL wall-mounted refrigerated display case is designed as a fully open device for “quick/impulse” purchases of beverages, baguettes, dairy products, fruit/vegetable salads and other snacks.

- Built-in aggregate with el. control unit (protective cover against unwanted settings)
- Side insulating glass – choice of 3 shapes (easy to replace and change the design directly on site)
- Fully open front)
- 3 adjustable stainless steel shelves including price tag strips / possibility to tilt the shelves
- Top LED lighting
- Wheels for easy handling

Specifications:

- Ventilation cooling
- Electronic control unit with temperature display
- Operating temperatures +2 / +6°C (at an ambient temperature of +25°C / 60% RH)
- Automatic defrosting and evaporation
- Refrigerant R455/R290



- Voltage 230 V / 50 Hz

COLUMBIA 900	
Side glass	curved, slanted, square
Dimensions (mm)	900 x 660 (*760) x 1350
Display area (m ²)	1,0
Power (W)	840
Weight (kg)	153

** Dimension including compulsory distance from wall*

Color design

BLACK

WHITE

Columbia 600 SMALL

The Columbia SMALL wall-mounted refrigerated display case is designed as a fully open device for “quick/impulse” purchases of beverages, baguettes, dairy products, fruit/vegetable salads and other snacks.

- Built-in aggregate with el. control unit (protective cover against unwanted settings)
- Side insulating glass – choice of 3 shapes (easy to replace and change the design directly on site)
- Fully open front)
- 3 adjustable stainless steel shelves including price tag strips / possibility to tilt the shelves
- Top LED lighting
- Wheels for easy handling

Specifications:

- Ventilation cooling
- Electronic control unit with temperature display
- Operating temperatures +2 / +6°C (at an ambient temperature of +25°C / 60% RH)
- Automatic defrosting and evaporation



- Refrigerant R455/R290
- Voltage 230 V / 50 Hz

COLUMBIA 600	
Side glass	curved, slanted, square
Dimensions (mm)	600 x 660 (*760) x 1350
Display area (m ²)	0,65
Power (W)	550
Weight (kg)	135

** Dimension including compulsory distance from wall*

Color design



BLACK

WHITE



Columbia 900 Square

Columbia 900 hranatá

Columbia Small

ENG

Great display case for your wall. Open, variable, impulse cooler. The unit is made as fully open counter for easy and impulsive purchases of drinks, sandwiches, dairy products, fruit/or vegetable salads and other snacks.

Features:

- Built-in aggregate with electronic controller in the front panel (protected against undesirable setting)
- Automatic defrosting
- Side double glass – choice of 3 shapes (easy and fast change of design on site)
- Maximum visibility of storage products
- Adjustable stainless steel shelves including price tags, angle adjustment
- LED light placed in the top
- With castors for easy handling
- Night blind (on request)

CZ

Přístěnná chladicí vitrina. Otevřená, variabilní, impulsivní chladicí jednotka. Je navržena jako plně otevřená vitrina pro „rychlý/impulsivní“ nákup nápojů, baget, mléčných výrobků, ovocných/zeleninových salátů a jiných snacků.

Vlastnosti:

- Se zabudovaným agregátem a elektronickou řídicí jednotkou v čelním panelu (chráněna proti nežádoucímu nastavení)
- Automatické odtávání
- Boční izolační skla – volba 3 tvarů (snadná výměna a možnost změny designu přímo na místě)
- Maximální viditelnost vystaveného zboží nastavitelné police z nerezů včetně cenových lišt, možnost naklopení polic
- Vrchní LED osvětlení
- S kolečky pro snadnou manipulaci
- S noční roletou (na objednávku)



Control panel in the front

Ovládání na čelní straně



Price tags

Cenovkové lišty



Columbia 900 Square Columbia 900 hranatá



Columbia 900 Straight Columbia 900 šikmá



Columbia 900 Curved Columbia 900 oblá



Columbia 600 Curved Columbia 600 oblá


Technical specification table / Tabulka technických specifikací

Will offer you all



Type of glass	Length (mm)	Depth (mm)	Height (mm)	Temperature range (°C)	Cooling space (m ²)	Power (W)	Consumption (kW/24h)	Weight (kg)	Voltage (V/Hz)
Typ skla	Délka (mm)	Hloubka (mm)	Výška (mm)	Teplotní rozsah (°C)	Chladicí plocha (m ²)	Příkon (W)	Spotřeba (kW/24h)	Váha (kg)	Napětí (V/Hz)
Straight / Šikmé	900/600	660/*760	1350	2÷6	1/0,65	840/550	15/11	153/135	230/50
Curved / Oblé	900/600	660/*760	1350	2÷6	1/0,65	840/550	15/11	153/135	230/50
Square / Hranaté	900/600	660/*760	1350	2÷6	1/0,65	840/550	15/11	153/135	230/50

* dimension including compulsory distance from wall / rozměr včetně nutného odstupu od stěny

The technical specification is based on ambient temperature of +25 °C and relative humidity 60% (indoor use only)
Technická specifikace platí při zajištění provozní teploty +25 °C a relativní vlhkosti 60% (pouze vnitřní použití).



Technical drawing Technický náčrt



Columbia
Small *Will offer you all*

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: usi@nt-rt.ru || сайт: <https://unis.nt-rt.ru/>