

Настольные холодильные витрины BIGHORN

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47

эл.почта: usi@nt-rt.ru || сайт: <https://unis.nt-rt.ru/>

Bighorn

The Bighorn counter-top refrigerated display case with built-in unit is ideal for the presentation and sale of refrigerated products and is particularly suitable for small and medium-sized shops. The display area of the showcase is equipped with two shelves and fluorescent lighting in the upper part. All glasses are insulating. The showcase can be ordered with the unit on the right or left side (when viewed from the operator's side). Access to refrigerated goods is from the operator's side using a sliding glass door. In the self-service version (flip-flop), there is also access to the goods from the front through a hinged plexiglas door.

The Bighorn Remote counter-top refrigerated display case has the unit located outside at a maximum distance of 2 meters from the display case. It is intended for the presentation and sale of chilled food. The display case is connected to the aggregate unit by thermoplastic hoses and quick couplings, which enable quick connection without the need to contact specialized refrigeration companies. Another great advantage is greater flexibility when placing the unit in the space under the display case and the ability to disconnect and reconnect this display case at any time. It is important to place the aggregate unit in a sufficiently ventilated area so that the



efficiency of the cooling system and the lifetime of the aggregate are not reduced.

Technical data

- stainless steel construction
- insulating double glazing
- adjustable legs
- static cooling
- electronic control unit
- temperature range: +2 / +12 ° C (ambient operating temperature of +25 ° C and 60 ° r.h.)
- automatic defrosting and condensation evaporation
- refrigerant R455/R290
- three length modules – version:

Bighorn – 1302 mm

Bighorn Remote – 705mm, 1005mm

Two versions:

- service – front insulating double glass (removable KIT) and rear sliding door
- self-service – front hinged plexiglass (removable KIT) and rear sliding door

	Bighorn 1300	Bighorn Remote 1000	Bighorn Remote 700
Dimensions (mm)	1302x620x640	1005x620x640	705x620x640
Display area (m ²)	1,3	1,3	0,9
Temperature (°C)	+2 / +12	+2 / +12	+2 / +12
Power (W)	320	200	200
Voltage (V/Hz)	220 / 50	220 / 50	220 / 50
Weight	85	85	79

Color design

INOX

Bighorn / Bighorn remote

KONSTRUKČNÍ VLASTNOSTI

- nový design
- izolační dvojskla – nižší provozní náklady
- dvě modulové řady u modelu Bighorn remote
- plášť vitríny a výstavní plocha z nerez oceli (AISI 304 18/8)
- vnitřní osvětlení
- 2 police
- agregát na pravé nebo levé straně u modelu Bighorn

CONSTRUCTION CHARACTERISTICS

- new design
- insulated double glasses – low costs
- two module lines by model Bighorn remote
- the glass case cover and the show part is made from stainless steel (AISI 304 18/8)
- inner lighting
- 2 shelves
- the cooling system on the left or the right side by model Bighorn

PROVEDENÍ

- obsluhová – čelní izolační dvojskla ■
- samoobsluhová – čelní odklápěcí plexiskla ■

TECHNICKÉ PARAMETRY

- chlazení statické
- automatické odtávání
- elektronická řídicí jednotka
- chladivo R404a/R134a


TWO PERFORMANCE

- sell over model with front insulated double glass ■
- self-service model with front hinged perlexes ■


TECHNICAL PARAMETERS

- static refrigerating
- automatic defrosting
- electronic control unit
- refrigerating gas R404a/R134a

Bighorn remote



Bighorn



Bighorn

Bighorn remote

Bighorn

Bighorn remote

	Bighorn	Bighorn remote		Bighorn	Bighorn remote
Délka / Length	1302 mm	700/1000 mm	Chladicí výkon / Refrigerating performance	280 W	160/160 W
Šířka / Width	620 mm	620 mm	Příkon / Input	320W	200/200 W
Výška / Height	640 mm	640 mm	Osvětlení / Light	21 W	13/13 W
Výstavní plocha / Showing area surface	1,3 m ²	0,9/1,3 m ²	Napětí / Voltage	220 V/ 50 Hz	220 V/ 50 Hz
Objem / Capacity	0,27 m ³	0,19/0,27 m ³	Chladivo / Refrigerating liquid	R 404a	R 134a/R 134a
Teplotní rozsah / Temperature range	+2 C/ +6 °C	+2 C/ +6 °C	Hmotnost / Weight	85 kg	79/85 kg

T₁₁ okolní teplota / ambient temperature

t_e odpařovací teplota / evaporating temperature

T₁₁ = 25 °C / 60% RH

t_e = -20 °C

unis


Bighorn / Bighorn remote

Double glass



Bighorn / Bighorn remote

Double glass

NEW - with double glass



Bighorn

- ☐ Pultová chladicí vitrina Bighorn s vestavěným agregátem je určena pro prezentaci a prodej chlazených produktů. Vitrina je vyrobena z nerez oceli AISI 304. Provoz vitríny je řízen elektronicky včetně automatického odtávání. Provozní teplotu lze regulovat pomocí řídicí jednotky v rozmezí od +2/+6 °C. Agregát lze umístit dle přání zákazníka na levé nebo pravé straně vitríny. Výstavní plocha vitríny je vybavena dvěma policemi a v horní části zářivkovým osvětlením. Přístup k chlazenému zboží je řešen ze strany obsluhy pomocí skleněných posuvných dveří. U samoobslužné varianty je možno na čelní straně vitríny osadit rám s odklápacími plexiskly. Tato chladicí vitrina je určena především pro malé a střední obchodní jednotky.

Bighorn

- ☐ Refrigerated table case Bighorn with a built in cooling system is designed for presentation and sale of cooled products. The case's frame is made from stainless steel AISI 304. Features: electronic regulation, automatic defrosting, operating temperature regulated by a electronic control unit, temperature range +2/+6 °C. The aggregate can be placed according to the customer's requirement on the right side or on the left side of the case. The display area of the case is equipped with two shelves; there is also a fluorescent light in the upper part of the case. The easy access to displayed products allows the sell over model the back sliding glass and the self service model the front hinged perlexes. The case is especially convenient for small and medium size shops.



Dvřka z izolálních dvojskel
Insulated sliding glass doors



Bighorn

Izolační dvojskla



Bighorn Remote

- ☐ Pultová chladicí vitrina Bighorn s agregátem umístěným mimo chladicí vitrínu ve vzdálenosti maximálně 2 metry (standard) od vitríny je určena pro prezentaci a prodej chlazených produktů. Vitrina je propojená s agregátovou jednotkou hadicemi z termoplastů a rychlospojškami, které umožňují rychlé propojení bez nutnosti kontaktovat specializované chladařské firmy. Další nespornou výhodou tohoto řešení je velká flexibilita při umísťování agregátu do prostoru pod vitrínu a možnost kdykoliv tuto vitrínu v budoucnu odpojit a znovu připojit. Při umísťování agregátu je ovšem velmi nutné dbát na to, že agregátová jednotka musí být umístěna v dostatečně odvětrávaném prostoru, aby nedocházelo ke snížování účinnosti chladicího systému a životnosti agregátu.

Bighorn Remote

- ☐ The refrigerated show case Bighorn with an aggregate placed away from the showcase, a maximum distance of 2 meters (standard), is designed for chilled food presentation and sale. The showcase is connected to the aggregate unit by thermoplastic hoses and quick-acting couplings, which enable fast connection without the necessity of contacting specialised engineers. The next big advantage is greater flexibility, in placing the aggregate under the showcase and also the possibility to disconnect and reconnect the unit in the future. Wherever deciding to place the aggregate, make sure there is good ventilation, to increase the cooling systems' life.



Big Horn nechlazená
Big Horn ambient



Dvřka z izolálních dvojskel
Insulated sliding glass doors



Bighorn remote

Izolační dvojskla

NEW - with double glass

NEW - with double glass

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: usi@nt-rt.ru || сайт: <https://unis.nt-rt.ru/>